

PTO/SB/08b (08-03)
Approved for use through 06/30/2006. OMB 0851-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE k Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 Of 3

Complete if Known				
Application Number	10/780,422			
Filing Date	February 17, 2004			
First Named Inventor	Robert H. Burgener, II			
Group Art Unit	2879			
Examiner Name				
Attorney Docket Number	3398.2.6			

	NON PATENT LITERATURE DOCUMENTS					
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²			
a	01	KOUYATE, D., RONFARD-HARET, JC., and KOSSANYI, J.; Photo- and electro- luminescence of rare earth-doped semiconducting zinc oxide electrodes: Emission from both the dopant and the support; Journal of Luminescence; 1991; pp. 205-210; Vol. 50; Elsevier Science Publishers B.V.				
a	O2	KOSSANYI, J., KOUYATE, D., POULIQUEN, J., RONFARD-HARET, J.C., VALAT, P., et al.; Photoluminescence of Semiconducting Zinc Oxide Containing Rare Earth lons as Impurities; Journal of Luminescence; 1990; pp. 17-24; Vol. 46; Elsevier Science Publishers B.V. (north-Holland).				
a	03	BHUSHAN, S., PANDEY, A.N., and KAZA, B.R.; Photo- and Electroluminescence of Undoped and Rare Earth Doped ZnO Electroluminors; Journal of Luminescence; 1979; pp. 29-38; Vol. 20; North-Holland Publishing Company.				
an	04	JADWISIENCZAK, W.M., LOZYKOWSKI, H.J., XU, A., and PATEL, B.; Visible Emission from ZnO Doped with Rare-Earth lons; Journal of Electronic Materials, 2002; pp. 776-784; Vol 31.				
a	O5	WANG, Y.G., LAU, S.P., LEE, H.W., YU, S.F., TAY, B.K., et al.; Photoluminescence study of ZnO films prepared by thermal oxidation of Zn metallic films in air; Journal of Applied Physics; 07/01/2003; pp. 354-358; Vol 94, No.1; American Institute of Physics.				
an	O6	XIONG, G., WILKINSON, J., LYLES, J., UCER, K.B., and WILLIAMS, R.T.; Luminescence and stimulated emission in zinc oxide nanoparticles, films, and crystals.				
an	07	AGNE, T., GUAN, Z., LI, X.M., WOLF, H., and WICHERT, T.; Incorporation of the Donor Indium in Nanocrystalline ZnO; phys. stat. sol.; 2002; pp. 819-823; Vol. 229; WILEY-VCH Verlag Berlin GmbH; Berlin.				
an	08	RONFARD-HARET, J.C., KOSSANYI, J., and PASTOL, J.L.; Electroluminescence of the Er ³⁺ ion and the electric conduction in polycrystalline ZnO:Mn,Bi,Er sintered pellets; Journal of Physics and Chemistry of Solids; 2001; pp. 565-578; Vol. 62; Elsevier Science Ltd.				
a	09	MAGNE, S., OUERDANE, Y., DRUETTA, M., GOURE, J.P., FERDINAND, P., et al.; Cooperative luminescence in an ytterbium-doped silica fibre; Optics Communications; 10/01/1994; pp. 310-316; Elsevier Science B.V.				
a	O10	WEGH, R.T., and MEIJERINK, A.; Cooperative luminescence of ytterbium(III) in La₂O₃; Chemical Physics Letters; 12/01/1995; pp. 495-498; Vol. 246; Elsevier Science B.V.				
a	011	BURSHTEIN, Z., KALISKY, Y., LEVY, S.Z., LE BOULANGER, P., ROTMAN; Impurity Local Phonon Nonradiative Quenching of Yb ^{3*} Flourescence in Ytterbium-Doped Silicate Glasses; IEEE Journal of Quantum Electronics; 08/08/2000; pp. 1000-1007; Vol. 36, No. 8; IEEE.				
a	O12	BACHIR, S., KOSSANYI, J., SANDOULY, C., VALAT, P., and RONFARD-HARET, J.C.; Electroluminescence of Dy ¹⁺ and Sm ³⁺ Ions in Polycrystalline Semiconducting Zinc Oxide; J. Phys. Chem; 1995; pp. 5674-5679; Vol. 99; American Chemical Society.				
OL	O13	BACHIR, S., KOSSANYI, J., and RONFARD-HARET, J.C.; Electroluminescence of Ho ^{3*} lons in a ZnO Varistor-Type Structure; Solid State Communications; 1993; pp. 859-863; Vol. 89, No. 10; Elsevier Science Ltd.; Great Britain.				
a	O14	BACHIR, S., SANDOULY, C., KOSSANYI, J., and RONFARD-HARET, J.C.; Rare Earth- Doped Polycrystalline Zinc Oxide Electroluminescent Ceramics; J. Phys. Chem. Solids; 1996; pp. 1869-1879; Vol. 57, NO. 12; Elsevier Science Ltd.; Great Britain.				

Examiner Signature	anthon		-	Date Considered	14 February 2006
	0 000	_			L L COURT WOOL

EXAMINER: Initial if reference considered, thether not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

¹ Applicant's unique citation designation number (optional) . 2 Applicant is to place a check mark here if English language Translation Is attached.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid QMB control number.

Substitute for form 1449B/PTO			-	Complete if Known	
				Application Number	10/780,422
INFORMATION DISCLOSURE			LOSURE	Filing Date	February 17, 2004
STATEMENT BY APPLICANT		First Named Inventor	Robert H. Burgener, II		
				Group Art Unit	2879
(use as many sheets as necessary)			essary)	Examiner Name	
Sheet	2	Of	3	Attorney Docket Number	3398 2 6

an	O15	RONFARD-HARET, J.C., and KOSSANYI, J.; Electro- and photoluminescence of the Tm ³⁺ ion in Tm ³⁺ and Li*-doped ZnO ceramics: Influence of the sintering temperature; Chemical Physics; 1999; pp. 339-349; Vol. 241; Elsevier Science B.V.	
a	O16	KEIR, P.D., MADDIX, C., NAUKOL, B.A., WAGER, J.F., CLARK, B.L., et al.; Lanthanide doping in ZnS and SrS thin-film electroluminescent decives; Journal of Applied Physics; 12/15/1999; pp. 6810-6815; Vol. 86, No. 12; American Institute of Physics.	
an	017	FENG, X., QI, C., LIN, F., and HU, H.; Spectroscopic Properties and Laser Performance Assessment of Yb ³⁺ in Borophosphate Glasses; J. Am. Ceramics Soc.; 1999; pp. 3471-3475; Vol. 82.	
o-	O18	TAKEBE, H., MURATA, T., and MORINAGA, K.; Compositional Dependence of Absorption and Flourescence of Yb3+ in Oxide Glasses; J. Am. Ceramics Soc.; 03/1996; pp. 681-686; Vol. 79, No. 3.	
a	O19	MAENO, T., and MORISAKI, S.; Electroluminescence from Barrier-Type Anodic Oxide Alumina Films Doped with Rare-Earth and Transition Metals by Ion-Implantation; Japanese Journal of Applied Physics; 2000; pp. 6296-6300; Vol. 39; The Japan Society of Applied Physics.	
an	O20	WU, X., DENIS, J.P., OZEN, G., GOLDNER, P., and PELLE, F.; The Blue Up-Conversion Luminescence of Er ³⁺ Ions in Vitroceramics Doped with Yb ³⁺ Under Infrared Excitation; Solid State Communications; 1993; pp. 351-354; Vol. 85, No. 4; Pergamon Press Ltd.; Great Britain.	
a	O21	HEHLEN, M.P., COCKROFT, N.J., and GOSNELL, T.R.; Spectroscopic properties of ER ³⁺ -and Yb ³⁺ -doped soda-lime silicate and aluminosilicate glasses; Physical Review B; 10/15/1997; pp. 9302-9318; Vol. 56, No. 15; The American Physical Society.	
a	022	MINAMI, T., KOBAYASHI, Y., MIYATA, T., and SUZUKI, S.; High-Luminance Thin-Film Electroluminescent Devices Using ((Y ₂ O ₃) _{0.6} -(GeO ₂) _{0.4}):Mn Phosphors; Japanese Journal of Applied Physics; 2002; pp. L577-L579; Vol. 41; The Japan Society of Applied Physics.	
a	O23	CISSE, L., TEYSSEDRE, G., and MARY, D.; Influence of Frequency, Electrode Material and Superimposed dc on ac Electroluminescence in Polymer Films; IEEE Transactions on Dielectrics and Electrical Insulation; 02/2002; pp. 124-129; Vol. 9, No. 1; IEEE.	
an	O24	DAS, S., CHOWDHURY, A., and PAL, A.J.; Alternating-Current and Direct-Current Responses of Light-Emitting Devices Based on Decacyclene Langmuir-Blodgett Films; phys. stat. sol.; 2001; pp. 383-389; Vol. 185, No. 2.	
a	O25	ROY, S., and PAL, A.J.; A Study of Organic Light-Emitting Devices Based on Electrostatic Self-Assembled Films of Evansd Blue under AC Voltage; phys. stat. sol.; 2002; pp. 367-376; Vol. 193, No. 2; WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.	
a	O26	ALLIERI, B., PERUZZI, S., ANTONINI, L., SPEGHIHI, A., BETTINELLI, M., et al.; Spectroscopic characterization of alternate current electroluminescent decives based on ZnS-Cu; Journal of Alloys and Compounds; 2002; pp. 79-81; Vo. 341; Elsevier Science B.V.	
a	027	MINAMI, T., YAMAZAKI, M., MIYATA, T., and SHIRAI, T.; Mn-Activated Y ₂ O ₃ -GeO ₂ Phosphors for Thin-Film Electroluminescent Devices; Japanese Journal of Applied Physics; 2001; pp. L864-L866; Vol. 40; The Japan Society of Applied Physics;	
a	O28	CHASE, E.W., HEPPLEWHITE, R.T., KRUPKA, D.C., and KAHNG, D.; Electroluminescence of ZnS Lumocen Devices Containing Rare-Earth and Transition-Metal Flourides; Journal of Applied Physics; 05/1969; pp. 2512-2519; Vol. 40, No. 6.	
a	O29	PEDERSON, L.R., CHOU, Y-S., COFFEY, G.W., HARDY, J.S., KERSTETTER, K.J., et al.; Solid Oxide Electrolyte Systems; Accessed online 4/22/2003.	

Examiner Signature	Contrar Cin	Date Considered	14 February 2016

EXAMINER: Initial if reference considered, whether or per diation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. 22313-1450.

¹ Applicant's unique citation designation number (optional) . 2 Applicant is to place a check mark here if English language Translation is attached.

Approved for use through 08/30/2006. OMB 0851-0031 U.S. Petent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO				Complete if Known		
				Application Number	10/780,422	
INFO	DRMATI	ON DISC	CLOSURE	Filing Date	February 17, 2004	
STATEMENT BY APPLICANT			PLICANT	First Named Inventor	Robert H. Burgener, II	
				Group Art Unit	2879	
(use as many sheets as necessary)		Examiner Name				
Sheet	3	Of	3	Attorney Docket Number	3398.2.6	

a	O30	HWANG, H.J., TOWATA, A., and AWANO, M.; Fabrication of Lanthanum Maganese Oxide Thin Films on Yttria-Stabilized Zirconia Substrates by a Chemically Modified Alkoxide Method; Journal of the American Ceramic Society; 2001; pp. 2323-2327; Vol. 84.	
a	031	LEONTIOU, A.A., LADAVOS, A.K., and POMONIS, P.J.; Catalytic NO reduction with CO on LA _{1-x} Sr _x (Fe ^{3*} /Fe ^{4*})O _{3±6} perovskite-type mixed oxides (x=0.00, 0.15, 0.30, 0.40, 0.60, 0.70, 0.80, and 0.90); Applied Catalysis; 2003; pp. 133-141; Vol. 241; Elsevier Science B.V.	
a	032	PETRIK, N.G., ALEXANDROV, A.B., and VALL, A.I.; Interfacial Energy Transfer during Gamma Radiolysis of Water on the Surface of ZrO ₂ and Some Other Oxides; J. Phys. Chem. B; 2001; pp. 5935-5944; Vol. 105; American Chemical Society.	

Examiner	Date	
Signature Can A A	Considered	116 - 1
Loigilatule 1 (MAZA)	Considered	14 rebman 2006
		100.000

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

This collection of Information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.